

**Model:** Procool Upright Coolers

**Page:** <https://www.procoolmfg.com/product/>

**Remarks** Gas R600a, Ambient temperature 38°C; inside temperature down to 0~10°C, with lowest at -1.2°C.

Datas are scanned and recorded every 30 seconds.

Since 14:11, controller manual at 4, the compressor will stop at 3°C and then restart at 7°C. On-off ratio is in normal range.

Event	Date	Time	Current Voltage		Power (W)	Consumpti (Kwh)	Controller	Ambient °C	Compressor °C	Discharge °C	Filter °C	Suction °C	Inside(Up)	Inside(Middle)	Inside(Down)
			(A)	(V)									°C	°C	°C
ON	2017/7/1	11:53:15	1.74	112.3	162.9	1444.17	Manual at 7	38	33.003	40.936	38.165	34.69	34.896	35.917	35.304
	2017/7/1	11:53:45	1.1	112.6	105.6	1444.17	Manual at 7	38	32.163	42.032	40.662	34.76	34.118	34.731	34.482
	2017/7/1	11:54:15	1.1	112.6	105.7	1444.17	Manual at 7	38	31.02	44.37	42.274	34.86	33.712	34.295	34.115
	2017/7/1	11:54:45	1.15	112.6	112	1444.17	Manual at 7	38	30.823	46.905	43.981	34.94	33.246	33.758	33.531
	2017/7/1	11:55:15	1.19	112.6	116.8	1444.17	Manual at 7	38	31.594	49.206	45.733	34.96	32.696	33.019	32.73
	2017/7/1	11:55:45	1.21	112.5	120	1444.17	Manual at 7	38	32.594	51.107	47.306	34.8	32.243	32.011	31.975
	2017/7/1	11:56:15	1.24	112.5	123.5	1444.17	Manual at 7	38	33.609	52.754	49.119	34.44	31.787	31.358	31.285
	2017/7/1	11:56:45	1.25	112.6	124.2	1444.17	Manual at 7	38	34.54	53.931	50.132	34.14	31.295	30.536	30.651
	2017/7/1	11:57:15	1.27	112.6	126.6	1444.18	Manual at 7	38	35.39	55.022	51.274	33.65	30.795	29.65	30.016
	2017/7/1	11:57:45	1.27	112.7	126.6	1444.18	Manual at 7	38	36.196	56.004	51.863	33.18	30.388	29.335	29.453
	2017/7/1	11:58:15	1.27	112.7	127.1	1444.18	Manual at 7	38	36.934	57.021	52.258	32.72	29.995	28.386	28.77
	2017/7/1	11:58:45	1.29	112.7	129.1	1444.18	Manual at 7	38	37.621	58.489	52.997	32.24	29.42	28.249	28.046
	2017/7/1	11:59:15	1.29	112.7	129.9	1444.18	Manual at 7	38	38.274	60.091	53.659	31.8	29.03	27.442	27.571
	2017/7/1	11:59:45	1.29	112.7	129.4	1444.18	Manual at 7	38	38.834	61.274	53.739	31.38	28.623	26.932	27.122
	2017/7/1	12:00:15	1.31	112.7	131.2	1444.18	Manual at 7	38	39.489	62.415	54.341	30.92	28.171	26.24	26.425
	2017/7/1	12:00:45	1.3	112.7	131.1	1444.18	Manual at 7	38	39.987	63.246	54.359	30.54	27.779	25.697	26.06
	2017/7/1	12:01:15	1.31	112.7	131.7	1444.18	Manual at 7	38	40.601	64.047	54.576	30.09	27.355	25.367	25.509
	2017/7/1	12:01:45	1.31	112.7	131.8	1444.19	Manual at 7	38	41.187	64.71	54.665	29.71	26.964	24.811	25.024
	2017/7/1	12:02:15	1.32	112.7	132.7	1444.19	Manual at 7	38	41.653	65.388	54.822	29.39	26.56	24.35	24.405
	2017/7/1	12:02:45	1.32	112.7	132.8	1444.19	Manual at 7	38	42.172	65.878	55.009	28.96	26.11	23.782	23.854
	2017/7/1	12:03:15	1.33	112.7	133.7	1444.19	Manual at 7	38	42.617	66.438	55.171	28.57	25.674	23.271	23.491
	2017/7/1	12:03:45	1.32	112.7	133.4	1444.19	Manual at 7	38	43.04	66.817	55.069	28.25	25.273	23.059	23.091
	2017/7/1	12:04:15	1.33	112.7	134	1444.19	Manual at 7	38	43.338	67.109	55.208	28.01	24.847	22.27	22.629

2017/7/1 12:04:45	1.33	112.5	134.6	1444.19	Manual at 7	38	43.737	67.522	55.577	27.68	24.551	22.018	22.134
2017/7/1 12:05:15	1.33	112.5	134.6	1444.19	Manual at 7	38	44.16	67.97	55.629	27.29	24.143	21.673	21.661
2017/7/1 12:05:45	1.34	112.5	134.6	1444.19	Manual at 7	38	44.652	68.325	55.437	27.02	23.724	21.227	21.316
2017/7/1 12:06:15	1.34	112.5	134.9	1444.2	Manual at 7	38	45.155	68.745	55.774	26.77	23.222	20.706	20.958
2017/7/1 12:06:45	1.34	112.5	135	1444.2	Manual at 7	38	45.561	68.995	55.749	26.47	22.823	20.521	20.553
2017/7/1 12:07:15	1.34	112.5	135.1	1444.2	Manual at 7	38	45.898	69.285	55.785	26.3	22.383	19.882	20.151
2017/7/1 12:07:45	1.34	112.5	135.4	1444.2	Manual at 7	38	46.285	69.648	55.856	25.95	22.022	19.74	19.564
2017/7/1 12:08:15	1.34	112.5	135	1444.2	Manual at 7	38	46.673	69.772	55.809	25.71	21.654	19.013	19.2
2017/7/1 12:08:45	1.34	112.5	135.7	1444.2	Manual at 7	38	47.039	70.144	56.127	25.26	21.245	18.845	19.08
2017/7/1 12:09:15	1.33	112.5	134.8	1444.2	Manual at 7	38	47.441	70.254	56.082	25.03	20.905	18.602	18.694
2017/7/1 12:09:45	1.34	112.5	135.1	1444.2	Manual at 7	38	47.762	70.515	55.919	24.8	20.454	18.069	18.298
2017/7/1 12:10:15	1.33	112.5	134.9	1444.21	Manual at 7	38	48.06	70.646	55.767	24.5	20.095	17.699	17.989
2017/7/1 12:10:45	1.34	112.5	135.2	1444.21	Manual at 7	38	48.433	70.968	55.934	24.25	19.823	17.421	17.616
2017/7/1 12:11:15	1.34	112.1	135.3	1444.21	Manual at 7	38	48.706	71.22	55.929	24.01	19.482	17.12	17.165
2017/7/1 12:11:45	1.35	112.7	136.2	1444.21	Manual at 7	38	48.934	71.473	56.172	23.84	19.091	16.538	16.922
2017/7/1 12:12:15	1.35	112.7	136.2	1444.21	Manual at 7	38	49.304	71.656	56.385	23.45	18.703	16.385	16.556
2017/7/1 12:12:45	1.34	112.7	135.5	1444.21	Manual at 7	38	49.568	71.676	56.079	23.29	18.403	16.172	16.269
2017/7/1 12:13:15	1.34	112.7	135.4	1444.21	Manual at 7	38	49.826	72.042	56.215	23.22	18.026	15.847	15.903
2017/7/1 12:13:45	1.35	112.7	136.5	1444.21	Manual at 7	38	50.038	72.266	56.136	22.9	17.769	15.464	15.706
2017/7/1 12:14:15	1.34	112.7	135.9	1444.21	Manual at 7	38	50.415	72.431	56.112	22.73	17.386	15.331	15.337
2017/7/1 12:14:45	1.34	112.7	136.1	1444.22	Manual at 7	38	50.709	72.479	56.198	22.43	17.11	14.874	15.124
2017/7/1 12:15:15	1.34	112.7	135.9	1444.22	Manual at 7	38	51.005	72.765	56.112	22.1	16.731	14.746	14.88
2017/7/1 12:15:45	1.34	112.7	136	1444.22	Manual at 7	38	51.288	72.995	56.208	22.06	16.486	14.538	14.644
2017/7/1 12:16:15	1.34	112.7	135.6	1444.22	Manual at 7	38	51.486	73.181	56.575	21.84	16.237	14.082	14.362
2017/7/1 12:16:45	1.34	112.7	135.6	1444.22	Manual at 7	38	51.693	73.21	56.134	21.63	15.968	13.933	14.171
2017/7/1 12:17:15	1.34	112.7	135.7	1444.22	Manual at 7	38	51.989	73.397	56.274	21.31	15.634	13.395	13.712
2017/7/1 12:17:45	1.34	112.5	135.5	1444.22	Manual at 7	38	52.172	73.6	55.932	21.3	15.402	13.216	13.48
2017/7/1 12:18:15	1.34	112.6	135.3	1444.22	Manual at 7	38	52.397	73.659	56.046	20.96	15.12	13.097	13.237
2017/7/1 12:18:45	1.34	112.5	135.5	1444.22	Manual at 7	38	52.766	73.743	56.329	20.72	14.887	12.825	13.065
2017/7/1 12:19:15	1.34	112.5	135.7	1444.23	Manual at 7	38	52.928	73.993	56.509	20.68	14.564	12.67	12.775
2017/7/1 12:19:45	1.34	112.5	135	1444.23	Manual at 7	38	53.088	74.105	56.346	20.59	14.332	12.386	12.608
2017/7/1 12:20:15	1.35	112.5	135.9	1444.23	Manual at 7	38	53.384	74.243	56.336	20.32	14.062	12.118	12.36

2017/7/1 12:20:45	1.34	112.5	134.9	1444.23	Manual at 7	38	53.601	74.27	56.408	20.18	13.788	11.735	12.013
2017/7/1 12:21:15	1.34	112.5	135.5	1444.23	Manual at 7	38	53.809	74.483	56.382	19.94	13.551	11.495	11.824
2017/7/1 12:21:45	1.34	112.5	135.7	1444.23	Manual at 7	38	53.956	74.737	56.524	19.88	13.313	11.372	11.674
2017/7/1 12:22:15	1.34	112.5	135.3	1444.23	Manual at 7	38	54.161	74.757	56.4	19.72	13.034	11.08	11.704
2017/7/1 12:22:45	1.34	112.5	135.6	1444.23	Manual at 7	38	54.26	74.963	56.489	19.63	12.805	10.916	11.24
2017/7/1 12:23:15	1.34	112.5	135.4	1444.23	Manual at 7	38	54.53	74.934	56.4	19.53	12.532	10.932	11.059
2017/7/1 12:23:45	1.34	112.5	134.9	1444.24	Manual at 7	38	54.766	74.914	56.233	19.22	12.301	10.625	10.841
2017/7/1 12:24:15	1.33	112.5	134.9	1444.24	Manual at 7	38	54.862	75.05	56.324	19.21	12.141	10.444	10.684
2017/7/1 12:24:45	1.34	112.5	135.3	1444.24	Manual at 7	38	55.102	75.339	56.261	18.97	11.888	10.086	10.42
2017/7/1 12:25:15	1.34	112.5	135.2	1444.24	Manual at 7	38	55.176	75.353	56.455	19.09	11.672	10.007	10.153
2017/7/1 12:25:45	1.34	112.5	135.2	1444.24	Manual at 7	38	55.48	75.46	56.269	18.79	11.498	9.836	10.145
2017/7/1 12:26:15	1.34	112.5	135	1444.24	Manual at 7	38	55.543	75.552	56.026	18.77	11.274	9.627	9.902
2017/7/1 12:26:45	1.33	112.6	134.6	1444.24	Manual at 7	38	55.702	75.535	56.208	18.72	11.039	9.286	9.581
2017/7/1 12:27:15	1.33	112.6	134.9	1444.24	Manual at 7	38	55.976	75.802	56.236	18.52	10.861	9.136	9.374
2017/7/1 12:27:45	1.34	112.5	134.8	1444.25	Manual at 7	38	56.11	75.826	56.188	18.36	10.738	9.032	9.327
2017/7/1 12:28:15	1.33	112.6	134.2	1444.25	Manual at 7	38	56.107	75.799	56.15	18.34	10.509	8.89	9.056
2017/7/1 12:28:45	1.33	112.6	134.1	1444.25	Manual at 7	38	56.348	75.964	56.119	18.13	10.383	8.622	8.975
2017/7/1 12:29:15	1.33	112.6	134.3	1444.25	Manual at 7	38	56.527	76.175	56.119	18.26	10.194	8.577	8.824
2017/7/1 12:29:45	1.33	112.6	134.2	1444.25	Manual at 7	38	56.755	76.314	56.5	17.96	9.993	8.382	8.573
2017/7/1 12:30:15	1.33	112.6	134.1	1444.25	Manual at 7	38	56.793	76.304	56.295	18.03	9.811	8.309	8.481
2017/7/1 12:30:45	1.33	112.5	134.3	1444.25	Manual at 7	38	56.947	76.41	56.132	17.94	9.658	7.863	8.266
2017/7/1 12:31:15	1.33	112.6	134.5	1444.25	Manual at 7	38	57.014	76.318	56.028	17.86	9.457	8.259	8.202
2017/7/1 12:31:45	1.32	112.7	133.7	1444.25	Manual at 7	38	57.111	76.539	55.991	17.85	9.353	7.628	7.99
2017/7/1 12:32:15	1.32	112.7	133.4	1444.25	Manual at 7	38	57.301	76.323	55.852	17.48	9.116	7.494	7.613
2017/7/1 12:32:45	1.32	112.7	133.5	1444.26	Manual at 7	38	57.458	76.484	55.818	17.39	9.029	7.271	7.694
2017/7/1 12:33:15	1.32	112.7	133.5	1444.26	Manual at 7	38	57.407	76.7	55.641	17.57	8.837	7.243	7.591
2017/7/1 12:33:45	1.33	112.7	133.9	1444.26	Manual at 7	38	57.546	76.589	55.712	17.4	8.65	7.162	7.47
2017/7/1 12:34:15	1.32	112.7	133.2	1444.26	Manual at 7	38	57.781	76.707	55.6	17.44	8.516	6.886	7.236
2017/7/1 12:34:45	1.33	112.7	134	1444.26	Manual at 7	38	57.951	76.678	55.912	17.19	8.334	6.57	7.035
2017/7/1 12:35:15	1.32	112.7	133.1	1444.26	Manual at 7	38	57.905	76.88	56.084	17.16	8.203	6.538	6.904
2017/7/1 12:35:45	1.32	112.7	133.7	1444.26	Manual at 7	38	58.095	76.996	55.831	17.12	8.038	6.398	6.834
2017/7/1 12:36:15	1.33	112.7	133.8	1444.26	Manual at 7	38	58.445	77.177	55.95	16.97	7.84	6.438	6.722

2017/7/1 12:36:45	1.33	112.7	133.7	1444.26	Manual at 7	38	58.486	77.252	55.773	16.92	7.634	6.405	6.551
2017/7/1 12:37:15	1.32	112.7	132.9	1444.27	Manual at 7	38	58.716	77.012	55.849	16.52	7.61	6.223	6.464
2017/7/1 12:37:45	1.32	112.5	133	1444.27	Manual at 7	38	58.82	77.167	55.659	16.55	7.399	5.924	6.301
2017/7/1 12:38:15	1.32	112.5	132.9	1444.27	Manual at 7	38	58.924	77.422	55.644	16.64	7.241	5.85	6.239
2017/7/1 12:38:45	1.32	112.5	132.4	1444.27	Manual at 7	38	58.916	77.337	55.684	16.31	7.144	5.705	5.966
2017/7/1 12:39:15	1.32	112.5	132.7	1444.27	Manual at 7	38	58.952	77.504	55.651	16.48	6.94	5.587	5.931
2017/7/1 12:39:45	1.32	112.5	132.8	1444.27	Manual at 7	38	59.131	77.548	55.437	16.51	6.781	5.551	5.832
2017/7/1 12:40:15	1.32	112.5	133.1	1444.27	Manual at 7	38	59.177	77.552	55.907	16.31	6.712	5.434	5.708
2017/7/1 12:40:45	1.31	112.5	132.2	1444.27	Manual at 7	38	59.157	77.555	55.713	16.44	6.641	5.515	5.597
2017/7/1 12:41:15	1.32	112.5	132.6	1444.27	Manual at 7	38	59.278	77.717	55.616	16.26	6.453	5.18	5.388
2017/7/1 12:41:45	1.32	112.5	133.1	1444.28	Manual at 7	38	59.551	77.746	56.003	15.93	6.397	5.205	5.394
2017/7/1 12:42:15	1.32	112.5	132.4	1444.28	Manual at 7	38	59.524	77.751	55.942	16	6.28	5.049	5.276
2017/7/1 12:42:45	1.32	112.5	132.9	1444.28	Manual at 7	38	59.569	77.909	55.641	16.03	6.112	4.971	5.059
2017/7/1 12:43:15	1.32	112.5	132.4	1444.28	Manual at 7	38	59.634	77.881	55.844	15.87	5.956	4.887	5.022
2017/7/1 12:43:45	1.32	112.5	132.8	1444.28	Manual at 7	38	59.887	78.026	55.937	15.72	5.878	4.859	4.978
2017/7/1 12:44:15	1.31	112.5	132.2	1444.28	Manual at 7	38	60.027	77.858	55.8	15.65	5.735	4.562	4.746
2017/7/1 12:44:45	1.32	112.5	132.4	1444.28	Manual at 7	38	59.847	78.069	55.692	15.78	5.646	4.465	4.703
2017/7/1 12:45:15	1.32	112.5	132.6	1444.28	Manual at 7	38	60.126	77.691	55.793	15.53	5.511	4.379	4.588
2017/7/1 12:45:45	1.31	112.5	131.7	1444.28	Manual at 7	38	60.065	78.146	55.671	15.58	5.434	4.268	4.598
2017/7/1 12:46:15	1.32	112.5	132.6	1444.29	Manual at 7	38	60.252	78.134	55.719	15.38	5.34	4.359	4.456
2017/7/1 12:46:45	1.31	112.5	131.9	1444.29	Manual at 7	38	60.262	78.234	55.658	15.51	5.184	4.163	4.366
2017/7/1 12:47:15	1.31	112.5	132.1	1444.29	Manual at 7	38	60.414	78.205	55.775	15.22	5.117	4.027	4.262
2017/7/1 12:47:45	1.31	112.5	131.5	1444.29	Manual at 7	38	60.485	78.144	55.509	15.24	5.04	4.025	4.291
2017/7/1 12:48:15	1.31	112.5	131.9	1444.29	Manual at 7	38	60.546	78.382	55.596	15.06	4.979	3.906	4.173
2017/7/1 12:48:45	1.31	112.5	131.9	1444.29	Manual at 7	38	60.531	78.319	55.687	15.08	4.834	3.908	4.094
2017/7/1 12:49:15	1.31	112.5	132.2	1444.29	Manual at 7	38	60.515	78.481	55.245	15.37	4.733	3.71	3.87
2017/7/1 12:49:45	1.31	112.5	131.5	1444.29	Manual at 7	38	60.817	78.254	55.709	14.93	4.711	3.492	3.901
2017/7/1 12:50:15	1.31	112.5	131.7	1444.29	Manual at 7	38	60.796	78.446	55.345	14.97	4.555	3.444	3.785
2017/7/1 12:50:45	1.31	112.5	131.3	1444.3	Manual at 7	38	60.854	78.515	55.267	14.88	4.457	3.353	3.791
2017/7/1 12:51:15	1.31	112.5	131.8	1444.3	Manual at 7	38	60.991	78.413	55.239	14.74	4.359	3.311	3.624
2017/7/1 12:51:45	1.31	112.5	131.5	1444.3	Manual at 7	38	60.857	78.646	55.373	15.05	4.425	3.336	3.578
2017/7/1 12:52:15	1.31	112.5	131.5	1444.3	Manual at 7	38	61.054	78.58	55.37	14.81	4.266	3.203	3.527

2017/7/1 12:52:45	1.31	112.5	131.7	1444.3	Manual at 7	38	61.173	78.33	55.355	14.54	4.179	3.071	3.4
2017/7/1 12:53:15	1.3	112.5	130.8	1444.3	Manual at 7	38	61.143	78.51	55.191	14.52	4.037	2.955	3.346
2017/7/1 12:53:45	1.3	112.5	131	1444.3	Manual at 7	38	61.318	78.571	55.317	14.47	4.075	2.894	3.233
2017/7/1 12:54:15	1.3	112.5	131	1444.3	Manual at 7	38	61.209	78.687	55.186	14.53	3.863	2.945	3.171
2017/7/1 12:54:45	1.3	112.5	131.1	1444.3	Manual at 7	38	61.397	78.828	55.449	14.48	3.84	2.877	3.083
2017/7/1 12:55:15	1.31	112.5	131.3	1444.31	Manual at 7	38	61.439	78.685	55.48	14.45	3.673	2.77	2.984
2017/7/1 12:55:45	1.3	112.5	130.5	1444.31	Manual at 7	38	61.446	78.818	55.315	14.24	3.696	2.638	3.023
2017/7/1 12:56:15	1.31	112.4	131.3	1444.31	Manual at 7	38	61.508	78.847	55.378	14.44	3.661	2.625	2.856
2017/7/1 12:56:45	1.3	112.5	130.9	1444.31	Manual at 7	38	61.456	78.682	55.35	14.37	3.533	2.478	2.865
2017/7/1 12:57:15	1.3	112.5	131	1444.31	Manual at 7	38	61.684	78.685	55.184	14.14	3.491	2.492	2.78
2017/7/1 12:57:45	1.3	112.5	130.7	1444.31	Manual at 7	38	61.575	78.699	55.206	14.26	3.373	2.501	2.675
2017/7/1 12:58:15	1.3	112.5	131	1444.31	Manual at 7	38	61.776	78.988	55.191	14.14	3.316	2.277	2.644
2017/7/1 12:58:45	1.3	112.5	131	1444.31	Manual at 7	38	61.644	78.927	55.406	14.13	3.237	2.268	2.666
2017/7/1 12:59:15	1.31	112.5	131.2	1444.31	Manual at 7	38	61.739	78.937	55.333	14.19	3.16	2.138	2.513
2017/7/1 12:59:45	1.3	112.5	130.8	1444.32	Manual at 7	38	61.709	78.973	55.408	13.96	3.088	2.291	2.435
2017/7/1 13:00:15	1.3	112.5	131	1444.32	Manual at 7	38	61.909	79.036	55.629	13.89	3.125	2.022	2.369
2017/7/1 13:00:45	1.3	112.5	130.7	1444.32	Manual at 7	38	62.011	78.859	55.421	14.07	3.085	2.291	2.386
2017/7/1 13:01:15	1.3	112.5	130.1	1444.32	Manual at 7	38	61.969	79.073	55.272	13.91	2.981	2.039	2.287
2017/7/1 13:01:45	1.3	112.4	130.6	1444.32	Manual at 7	38	62.016	79.017	55.477	13.69	2.811	2.2	2.315
2017/7/1 13:02:15	1.3	112.4	130.2	1444.32	Manual at 7	38	61.917	78.896	55.264	13.73	2.928	1.846	2.19
2017/7/1 13:02:45	1.3	112.5	130.8	1444.32	Manual at 7	38	62.115	78.995	55.36	13.68	2.758	1.79	2.171
2017/7/1 13:03:15	1.3	112.5	130.8	1444.32	Manual at 7	38	62.157	79.189	55.76	13.61	2.77	1.879	2.056
2017/7/1 13:03:45	1.3	112.5	130.6	1444.32	Manual at 7	38	62.154	78.944	55.407	13.31	2.788	1.86	2.117
2017/7/1 13:04:15	1.3	112.5	130.8	1444.33	Manual at 7	38	62.204	79.165	55.43	13.66	2.644	1.645	1.958
2017/7/1 13:04:45	1.3	112.4	130.1	1444.33	Manual at 7	38	62.201	79.054	55.364	13.68	2.646	1.736	1.964
2017/7/1 13:05:15	1.29	112.5	129.9	1444.33	Manual at 7	38	62.295	79.011	55.319	13.54	2.612	1.484	1.893
2017/7/1 13:05:45	1.3	112.5	130.2	1444.33	Manual at 7	38	62.478	79.058	55.492	13.25	2.496	1.489	1.936
2017/7/1 13:06:15	1.3	112.4	130.4	1444.33	Manual at 7	38	62.439	78.91	55.237	13.57	2.476	1.662	1.785
2017/7/1 13:06:45	1.3	112.4	130	1444.33	Manual at 7	38	62.243	79.196	55.257	13.53	2.452	1.322	1.734
2017/7/1 13:07:15	1.3	112.3	130.5	1444.33	Manual at 7	38	62.513	79.102	55.183	13.21	2.321	1.433	1.716
2017/7/1 13:07:45	1.29	112.4	129.9	1444.33	Manual at 7	38	62.464	79.245	55.168	13.43	2.333	1.438	1.729
2017/7/1 13:08:15	1.3	112.4	130.5	1444.33	Manual at 7	38	62.328	79.331	55.1	13.27	2.299	1.261	1.583

2017/7/1 13:08:45	1.29	112.5	129.7	1444.34	Manual at 7	38	62.404	79.385	55.171	13.39	2.264	1.345	1.695
2017/7/1 13:09:15	1.3	112.4	130.5	1444.34	Manual at 7	38	62.446	79.385	55.221	13.35	2.205	1.342	1.63
2017/7/1 13:09:45	1.3	112.5	130.2	1444.34	Manual at 7	38	62.508	79.334	55.275	13.26	2.188	1.365	1.528
2017/7/1 13:10:15	1.29	112.4	129.5	1444.34	Manual at 7	38	62.412	79.23	54.986	13.2	2.134	1.104	1.428
2017/7/1 13:10:45	1.29	112.5	129.6	1444.34	Manual at 7	38	62.424	78.993	54.896	13.17	2.142	0.906	1.38
2017/7/1 13:11:15	1.29	112.4	129.9	1444.34	Manual at 7	38	62.694	79.339	55.023	13.13	2.032	0.903	1.363
2017/7/1 13:11:45	1.3	112.4	130.1	1444.34	Manual at 7	38	62.756	79.313	55.328	12.94	2.029	1.03	1.241
2017/7/1 13:12:15	1.29	112.4	129.5	1444.34	Manual at 7	38	62.585	79.264	54.923	13.38	1.921	1.036	1.406
2017/7/1 13:12:45	1.29	112.4	129.9	1444.34	Manual at 7	38	62.659	79.322	54.953	13.1	1.911	0.767	1.352
2017/7/1 13:13:15	1.3	112.5	130	1444.35	Manual at 7	38	62.637	79.461	55.07	13.11	1.866	0.989	1.22
2017/7/1 13:13:45	1.29	112.5	130	1444.35	Manual at 7	38	62.694	79.257	55.151	12.92	1.845	0.889	1.132
2017/7/1 13:14:15	1.29	112.5	129.4	1444.35	Manual at 7	38	62.711	79.398	54.819	12.87	1.806	0.832	1.097
2017/7/1 13:14:45	1.29	112.4	129.4	1444.35	Manual at 7	38	62.778	79.304	55.029	12.88	1.724	0.951	1.188
2017/7/1 13:15:15	1.29	112.4	129.4	1444.35	Manual at 7	38	62.887	79.16	55.012	12.57	1.714	0.671	1.028
2017/7/1 13:15:45	1.3	112.4	129.9	1444.35	Manual at 7	38	62.83	79.279	54.963	12.54	1.723	0.838	1.179
2017/7/1 13:16:15	1.29	112.4	129.1	1444.35	Manual at 7	38	62.946	79.121	55.022	12.53	1.664	0.705	1.072
2017/7/1 13:16:45	1.29	112.4	129.1	1444.35	Manual at 7	38	62.907	79.385	55.1	12.66	1.672	0.756	1.165
2017/7/1 13:17:15	1.29	112.5	129.1	1444.35	Manual at 7	38	62.781	79.305	54.703	12.79	1.655	0.883	0.924
2017/7/1 13:17:45	1.29	112.5	129.7	1444.36	Manual at 7	38	62.919	79.182	54.902	12.49	1.598	0.552	0.839
2017/7/1 13:18:15	1.3	112.5	130.1	1444.36	Manual at 7	38	62.855	79.589	55.214	12.67	1.596	0.43	0.876
2017/7/1 13:18:45	1.29	112.5	129.7	1444.36	Manual at 7	38	62.884	79.544	55.219	12.68	1.581	0.368	0.836
2017/7/1 13:19:15	1.29	112.4	129.7	1444.36	Manual at 7	38	62.746	79.402	55.237	12.72	1.511	0.501	0.879
2017/7/1 13:19:45	1.29	112.5	129.6	1444.36	Manual at 7	38	62.87	79.504	55.019	12.66	1.465	0.569	0.729
2017/7/1 13:20:15	1.29	112.5	129.3	1444.36	Manual at 7	38	62.993	79.509	54.948	12.57	1.403	0.552	0.817
2017/7/1 13:20:45	1.29	112.4	129.5	1444.36	Manual at 7	38	63.045	79.587	54.87	12.52	1.423	0.467	0.678
2017/7/1 13:21:15	1.29	112.4	128.8	1444.36	Manual at 7	38	62.941	79.575	54.84	12.52	1.389	0.2	0.508
2017/7/1 13:21:45	1.29	112.4	129.4	1444.36	Manual at 7	38	63.102	79.458	54.574	12.54	1.298	0.416	0.638
2017/7/1 13:22:15	1.29	112.5	129.5	1444.36	Manual at 7	38	62.946	79.512	54.898	12.63	1.318	0.297	0.601
2017/7/1 13:22:45	1.29	112.4	129.4	1444.37	Manual at 7	38	63.162	79.502	54.776	12.36	1.267	0.348	0.618
2017/7/1 13:23:15	1.29	112.5	129.3	1444.37	Manual at 7	38	63.115	79.339	54.913	12.51	1.253	0.283	0.658
2017/7/1 13:23:45	1.29	112.4	129	1444.37	Manual at 7	38	63.028	79.4	55.014	12.42	1.206	0.257	0.465
2017/7/1 13:24:15	1.29	112.5	129.3	1444.37	Manual at 7	38	63.124	79.179	55.257	12.06	1.212	0.219	0.438

2017/7/1 13:24:45	1.29	112.4	129	1444.37	Manual at 7	38	63.154	79.616	55.369	12.14	1.195	0.454	0.514
2017/7/1 13:25:15	1.29	112.4	129.5	1444.37	Manual at 7	38	63.087	79.562	55.133	12.13	1.158	0.202	0.438
2017/7/1 13:25:45	1.29	112.5	129.3	1444.37	Manual at 7	38	63.315	79.405	54.855	12.04	1.091	0.246	0.447
2017/7/1 13:26:15	1.29	112.5	129.4	1444.37	Manual at 7	38	63.169	79.507	54.857	12.03	1.128	0.033	0.336
2017/7/1 13:26:45	1.29	112.5	128.9	1444.37	Manual at 7	38	63.11	79.586	54.95	12.27	1.094	-0.171	0.376
2017/7/1 13:27:15	1.29	112.5	129.1	1444.38	Manual at 7	38	63.021	79.524	54.679	12.24	1.062	-0.042	0.263
2017/7/1 13:27:45	1.29	112.5	129.4	1444.38	Manual at 7	38	63.211	79.57	54.892	12.17	1.067	-0.132	0.283
2017/7/1 13:28:15	1.28	112.5	128.7	1444.38	Manual at 7	38	63.008	79.599	54.812	12.27	0.985	0.043	0.283
2017/7/1 13:28:45	1.28	112.5	128.5	1444.38	Manual at 7	38	63.134	79.49	54.483	12.3	0.999	-0.06	0.344
2017/7/1 13:29:15	1.29	112.5	129.3	1444.38	Manual at 7	38	63.283	79.322	54.883	11.87	0.968	0.151	0.288
2017/7/1 13:29:45	1.29	112.5	128.9	1444.38	Manual at 7	38	63.209	79.504	54.668	11.97	1.008	0.026	0.27
2017/7/1 13:30:15	1.29	112.5	129.1	1444.38	Manual at 7	38	63.258	79.238	54.885	11.83	0.964	0.022	0.192
2017/7/1 13:30:45	1.29	112.4	128.7	1444.38	Manual at 7	38	63.392	79.189	54.82	11.77	0.926	0.039	0.185
2017/7/1 13:31:15	1.29	112.4	129.3	1444.38	Manual at 7	38	63.129	79.628	55.052	11.98	0.897	0.035	0.14
2017/7/1 13:31:45	1.29	112.4	129.7	1444.39	Manual at 7	38	63.243	79.451	54.827	11.93	0.815	-0.098	0.229
2017/7/1 13:32:15	1.29	112.4	129.1	1444.39	Manual at 7	38	63.149	79.657	54.64	12.08	0.903	-0.124	0.135
2017/7/1 13:32:45	1.29	112.4	128.6	1444.39	Manual at 7	38	63.132	79.562	54.759	12.04	0.832	-0.035	0.151
2017/7/1 13:33:15	1.28	112.5	128.8	1444.39	Manual at 7	38	63.271	79.615	54.949	12.05	0.833	0.135	0.223
2017/7/1 13:33:45	1.29	112.4	129	1444.39	Manual at 7	38	63.243	79.572	54.858	12.14	0.785	-0.117	0.175
2017/7/1 13:34:15	1.28	112.5	128	1444.39	Manual at 7	38	63.256	79.252	54.761	12.05	0.768	-0.419	0.046
2017/7/1 13:34:45	1.29	112.4	128.7	1444.39	Manual at 7	38	63.377	79.63	54.703	12.02	0.756	-0.225	0.091
2017/7/1 13:35:15	1.28	112.5	128.6	1444.39	Manual at 7	38	63.384	79.452	54.896	11.77	0.716	-0.298	0.083
2017/7/1 13:35:45	1.28	112.5	128.7	1444.39	Manual at 7	38	63.34	79.492	54.723	11.99	0.702	-0.198	0.045
2017/7/1 13:36:15	1.28	112.5	128.6	1444.39	Manual at 7	38	63.303	79.645	54.779	12.01	0.693	-0.304	0.072
2017/7/1 13:36:45	1.28	112.5	128.8	1444.4	Manual at 7	38	63.456	79.359	54.594	11.78	0.648	-0.358	-0.045
2017/7/1 13:37:15	1.28	112.5	128.7	1444.4	Manual at 7	38	63.288	79.49	54.567	11.93	0.654	-0.247	0.038
2017/7/1 13:37:45	1.28	112.5	128.7	1444.4	Manual at 7	38	63.461	79.417	54.827	11.83	0.673	-0.131	-0.019
2017/7/1 13:38:15	1.29	112.5	129.5	1444.4	Manual at 7	38	63.379	79.282	54.658	11.74	0.654	-0.428	-0.025
2017/7/1 13:38:45	1.29	112.5	129	1444.4	Manual at 7	38	63.476	79.267	54.817	11.62	0.625	-0.434	-0.002
2017/7/1 13:39:15	1.28	112.5	128.7	1444.4	Manual at 7	38	63.33	79.456	54.825	11.67	0.617	-0.579	-0.056
2017/7/1 13:39:45	1.28	112.5	128.7	1444.4	Manual at 7	38	63.278	79.339	54.574	11.54	0.583	-0.487	-0.086
2017/7/1 13:40:15	1.28	112.5	128.6	1444.4	Manual at 7	38	63.439	79.306	54.526	11.57	0.566	-0.53	-0.149

2017/7/1 13:40:45	1.28	112.5	128.6	1444.4	Manual at 7	38	63.352	79.335	54.639	11.43	0.611	-0.666	-0.212
2017/7/1 13:41:15	1.28	112.5	128.5	1444.41	Manual at 7	38	63.293	79.366	54.607	11.81	0.58	-0.661	-0.045
2017/7/1 13:41:45	1.28	112.5	127.8	1444.41	Manual at 7	38	63.31	79.261	54.388	11.48	0.51	-0.424	-0.149
2017/7/1 13:42:15	1.28	112.5	128.5	1444.41	Manual at 7	38	63.372	79.418	54.87	11.66	0.561	-0.48	-0.069
2017/7/1 13:42:45	1.29	112.5	128.9	1444.41	Manual at 7	38	63.417	79.281	54.702	11.69	0.513	-0.468	-0.188
2017/7/1 13:43:15	1.29	112.5	128.8	1444.41	Manual at 7	38	63.414	79.455	54.52	11.55	0.628	-0.64	-0.114
2017/7/1 13:43:45	1.28	112.5	128.2	1444.41	Manual at 7	38	63.496	79.074	54.297	11.34	0.478	-0.559	-0.141
2017/7/1 13:44:15	1.28	112.5	128.3	1444.41	Manual at 7	38	63.434	79.401	54.438	11.89	0.389	-0.468	-0.246
2017/7/1 13:44:45	1.28	112.5	128.3	1444.41	Manual at 7	38	63.37	79.428	54.518	11.77	0.467	-0.569	-0.183
2017/7/1 13:45:15	1.28	112.5	128.3	1444.41	Manual at 7	38	63.392	79.366	54.217	11.68	0.472	-0.627	-0.257
2017/7/1 13:45:45	1.28	112.5	127.9	1444.42	Manual at 7	38	63.241	79.28	54.32	11.89	0.476	-0.607	-0.389
2017/7/1 13:46:15	1.28	112.5	127.9	1444.42	Manual at 7	38	63.466	79.362	54.629	11.63	0.35	-0.8	-0.334
2017/7/1 13:46:45	1.28	112.5	128.4	1444.42	Manual at 7	38	63.36	79.532	54.451	11.82	0.356	-0.839	-0.353
2017/7/1 13:47:15	1.28	112.5	128.6	1444.42	Manual at 7	38	63.347	79.452	54.419	11.93	0.325	-0.545	-0.359
2017/7/1 13:47:45	1.28	112.5	128.4	1444.42	Manual at 7	38	63.399	79.316	54.483	11.71	0.311	-0.658	-0.382
2017/7/1 13:48:15	1.28	112.5	128.3	1444.42	Manual at 7	38	63.372	79.475	54.505	11.72	0.288	-0.805	-0.336
2017/7/1 13:48:45	1.28	112.5	128.5	1444.42	Manual at 7	38	63.3	79.289	54.517	11.57	0.257	-0.434	-0.291
2017/7/1 13:49:15	1.28	112.5	128.4	1444.42	Manual at 7	38	63.238	79.336	54.405	11.83	0.254	-0.718	-0.331
2017/7/1 13:49:45	1.28	112.5	127.7	1444.42	Manual at 7	38	63.276	79.178	54.365	11.82	0.316	-0.842	-0.402
2017/7/1 13:50:15	1.28	112.5	128.4	1444.43	Manual at 7	38	63.281	79.507	54.577	11.66	0.407	-0.931	-0.321
2017/7/1 13:50:45	1.28	112.5	127.8	1444.43	Manual at 7	38	63.454	79.329	54.654	11.7	0.294	-0.981	-0.498
2017/7/1 13:51:15	1.28	112.5	128.4	1444.43	Manual at 7	38	63.486	79.415	54.603	11.49	0.28	-0.75	-0.451
2017/7/1 13:51:45	1.28	112.5	128.3	1444.43	Manual at 7	38	63.553	79.322	54.675	11.43	0.319	-0.827	-0.434
2017/7/1 13:52:15	1.28	112.5	128.5	1444.43	Manual at 7	38	63.328	79.468	54.898	11.48	0.226	-0.902	-0.283
2017/7/1 13:52:45	1.28	112.5	128.3	1444.43	Manual at 7	38	63.365	79.65	54.77	11.65	0.305	-0.866	-0.352
2017/7/1 13:53:15	1.28	112.5	128	1444.43	Manual at 7	38	63.37	79.485	54.651	11.51	0.226	-0.907	-0.577
2017/7/1 13:53:45	1.28	112.5	128.3	1444.43	Manual at 7	38	63.459	79.423	54.913	11.68	0.227	-0.805	-0.417
2017/7/1 13:54:15	1.29	112.5	128.8	1444.43	Manual at 7	38	63.327	79.548	54.701	11.51	0.175	-0.875	-0.528
2017/7/1 13:54:45	1.28	112.5	128.5	1444.43	Manual at 7	38	63.558	79.48	54.708	11.46	0.237	-0.844	-0.446
2017/7/1 13:55:15	1.28	112.5	128	1444.44	Manual at 7	38	63.424	79.512	54.62	11.79	0.212	-0.849	-0.55
2017/7/1 13:55:45	1.28	112.5	128.4	1444.44	Manual at 7	38	63.516	79.565	54.703	11.75	0.268	-0.968	-0.557
2017/7/1 13:56:15	1.28	112.5	128.3	1444.44	Manual at 7	38	63.558	79.439	54.678	11.5	0.151	-1.019	-0.577



2017/7/1 13:56:45	1.28	112.5	128	1444.44	Manual at 7	38	63.543	79.146	54.62	11.61	0.115	-0.893	-0.538
2017/7/1 13:57:15	1.28	112.5	127.9	1444.44	Manual at 7	38	63.57	79.446	54.42	11.69	0.186	-1.007	-0.56
2017/7/1 13:57:45	1.28	112.5	128.2	1444.44	Manual at 7	38	63.563	79.565	54.524	11.42	0.129	-0.885	-0.532
2017/7/1 13:58:15	1.28	112.5	128.5	1444.44	Manual at 7	38	63.642	79.434	54.519	11.44	0.146	-1.026	-0.637
2017/7/1 13:58:45	1.28	112.5	128.5	1444.44	Manual at 7	38	63.597	79.561	54.794	11.41	0.115	-0.805	-0.47
2017/7/1 13:59:15	1.28	112.5	127.9	1444.44	Manual at 7	38	63.565	79.512	54.731	11.48	0.166	-1.035	-0.557
2017/7/1 13:59:45	1.28	112.5	128	1444.45	Manual at 7	38	63.417	79.516	54.431	11.87	0.101	-1.182	-0.693
2017/7/1 14:00:15	1.28	112.5	127.8	1444.45	Manual at 7	38	63.617	79.289	54.467	11.23	0.115	-1.009	-0.614
2017/7/1 14:00:45	1.28	112.5	127.9	1444.45	Manual at 7	38	63.622	79.337	54.54	11.39	0.144	-1.001	-0.62
2017/7/1 14:01:15	1.28	112.5	128.3	1444.45	Manual at 7	38	63.689	79.563	54.486	11.39	0.197	-1.103	-0.543
2017/7/1 14:01:45	1.28	112.5	127.6	1444.45	Manual at 7	38	63.508	79.536	54.383	11.6	0.11	-0.851	-0.56
2017/7/1 14:02:15	1.28	112.5	128.6	1444.45	Manual at 7	38	63.493	79.638	54.326	11.68	0.149	-0.896	-0.603
2017/7/1 14:02:45	1.28	112.5	128	1444.45	Manual at 7	38	63.469	79.541	54.339	11.69	0.076	-1.174	-0.628
2017/7/1 14:03:15	1.28	112.5	127.8	1444.45	Manual at 7	38	63.548	79.514	54.207	11.57	0.124	-0.961	-0.47
2017/7/1 14:03:45	1.28	112.5	127.9	1444.45	Manual at 7	38	63.553	79.565	54.612	11.68	0.117	-1.031	-0.674
2017/7/1 14:04:15	1.28	112.5	127.9	1444.46	Manual at 7	38	63.449	79.526	54.448	11.66	0.09	-0.946	-0.625
2017/7/1 14:04:45	1.28	112.5	128.2	1444.46	Manual at 7	38	63.607	79.543	54.751	11.55	0.159	-1.007	-0.685
2017/7/1 14:05:15	1.28	112.4	127.7	1444.46	Manual at 7	38	63.568	79.616	54.42	11.55	0.139	-1.109	-0.603
2017/7/1 14:05:45	1.28	112.5	128	1444.46	Manual at 7	38	63.389	79.507	54.493	11.54	0.119	-0.941	-0.71
2017/7/1 14:06:15	1.28	112.5	127.7	1444.46	Manual at 7	38	63.669	79.482	54.642	11.34	0.14	-1.032	-0.73
2017/7/1 14:06:45	1.28	112.4	128	1444.46	Manual at 7	38	63.451	79.587	54.683	11.37	0.09	-1.201	-0.825
2017/7/1 14:07:15	1.28	112.4	127.8	1444.46	Manual at 7	38	63.451	79.587	54.683	11.37	0.09	-0.897	-0.628
2017/7/1 14:07:45	1.28	112.4	128.5	1444.46	Manual at 7	38	63.719	79.497	54.734	11.26	0.029	-1.015	-0.607
2017/7/1 14:08:15	1.28	112.4	128.3	1444.46	Manual at 7	38	63.521	79.458	54.536	11.45	0.05	-1.175	-0.641
2017/7/1 14:08:45	1.28	112.4	128.3	1444.47	Manual at 7	38	63.56	79.468	54.67	11.28	0.098	-0.954	-0.667
2017/7/1 14:09:15	1.28	112.5	128.3	1444.47	Manual at 7	38	63.751	79.55	54.635	11.44	0.073	-1.025	-0.681
2017/7/1 14:09:45	1.28	112.4	127.6	1444.47	Manual at 7	38	63.808	79.439	54.827	11.53	0.078	-1.076	-0.668
2017/7/1 14:10:15	1.28	112.5	128.5	1444.47	Manual at 7	38	63.842	79.378	55.02	11.37	0.056	-1.036	-0.647
2017/7/1 14:10:45	1.28	112.4	128.4	1444.47	Manual at 7	38	63.79	79.613	54.999	11.55	0.07	-1.05	-0.604
2017/7/1 14:11:15	1.29	112.4	129	1444.47	Manual at 4	38	63.793	79.58	55.015	11.34	0.087	-0.855	-0.696
2017/7/1 14:11:45	0.22	113	20.7	1444.47	Manual at 4	38	63.62	72.106	53.252	16.35	6.431	9.995	8.914
2017/7/1 14:12:15	0.22	113	20.8	1444.47	Manual at 4	38	63.174	63.561	48.29	23.27	3.838	3.369	4.025


Lowest down to -1.2°C


2017/7/1 14:12:45	0.22	113	20.9	1444.47	Manual at 4	38	62.805	58.868	39.213	26.58	3.838	2.698	3.665
2017/7/1 14:13:15	0.22	113	20.8	1444.47	Manual at 4	38	62.288	56.54	30.032	24.01	4.189	3.183	3.774
2017/7/1 14:13:45	0.22	113	20.8	1444.47	Manual at 4	38	61.711	55.138	30.632	27.09	4.538	3.679	4.035
2017/7/1 14:14:15	0.22	113.1	20.8	1444.47	Manual at 4	38	61.143	54.136	31.602	28.93	4.999	4.195	4.367
2017/7/1 14:14:45	0.22	113.1	20.8	1444.47	Manual at 4	38	60.583	53.475	32.569	31.18	5.389	4.722	4.724
2017/7/1 14:15:15	0.22	113.1	20.8	1444.47	Manual at 4	38	59.971	52.883	33.302	33.39	5.786	5.124	5.131
2017/7/1 14:15:45	0.22	113.1	20.8	1444.47	Manual at 4	38	59.657	52.157	33.974	35.01	6.216	5.471	5.441
2017/7/1 14:16:15	0.22	113.1	20.8	1444.47	Manual at 4	38	59.328	51.623	34.528	36.44	6.637	5.887	5.899
2017/7/1 14:16:45	0.22	113.1	20.8	1444.47	Manual at 4	38	58.847	51.309	35.122	36.97	7.025	6.517	6.371
2017/7/1 14:17:15	0.21	113.1	20.8	1444.47	Manual at 4	38	58.511	51.119	35.393	37.59	7.475	6.696	6.72
2017/7/1 14:17:45	0.22	113.1	20.8	1444.47	Manual at 4	38	58.214	50.598	35.791	37.85	7.888	7.227	7.083
2017/7/1 14:18:15	0.21	113.1	20.8	1444.47	Manual at 4	38	57.693	50.35	36.085	38.1	8.312	7.542	7.443
2017/7/1 14:18:45	0.21	113.1	20.8	1444.47	Manual at 4	38	57.615	50.147	36.409	38.24	8.625	7.924	7.806
2017/7/1 14:19:15	1.56	112.4	160.4	1444.47	Manual at 4	38	60.533	67.108	41.734	5.383	8.751	8.042	7.985
2017/7/1 14:19:45	1.36	112.5	137.8	1444.48	Manual at 4	38	60.333	70.482	48.447	11.23	8.485	7.617	7.549
2017/7/1 14:20:15	1.34	112.5	135	1444.48	Manual at 4	38	59.93	72.656	50.434	14.11	8.061	6.928	6.991
2017/7/1 14:20:45	1.33	112.5	134.9	1444.48	Manual at 4	38	59.87	74.08	52.57	15.22	7.785	6.269	6.527
2017/7/1 14:21:15	1.33	112.5	133.7	1444.48	Manual at 4	38	59.839	75.152	53.521	15.93	7.444	6.032	6.181
2017/7/1 14:21:45	1.33	112.5	134.6	1444.48	Manual at 4	38	59.994	76.136	54.28	16.04	7.159	5.719	5.888
2017/7/1 14:22:15	1.33	112.5	134.9	1444.48	Manual at 4	38	60.087	76.568	54.778	15.9	6.844	5.443	5.631
2017/7/1 14:22:45	1.33	112.5	134.2	1444.48	Manual at 4	38	60.237	77.177	55.132	16.1	6.582	5.085	5.391
2017/7/1 14:23:15	1.33	112.5	134.3	1444.48	Manual at 4	38	60.249	77.519	55.299	16.08	6.311	4.957	5.335
2017/7/1 14:23:45	1.33	112.5	134.5	1444.48	Manual at 4	38	60.452	77.957	55.497	16.07	6.062	4.767	4.903
2017/7/1 14:24:15	1.33	112.5	134.2	1444.49	Manual at 4	38	60.69	78.115	55.269	15.96	5.833	4.443	4.718
2017/7/1 14:24:45	1.33	112.5	134.3	1444.49	Manual at 4	38	60.776	78.486	55.667	15.75	5.577	4.371	4.551
2017/7/1 14:25:15	1.33	112.5	134.5	1444.49	Manual at 4	38	60.981	78.452	55.455	15.52	5.289	4.151	4.404
2017/7/1 14:25:45	1.33	112.5	133.9	1444.49	Manual at 4	38	61.064	78.658	55.29	15.62	5.089	3.995	4.228
2017/7/1 14:26:15	1.32	112.5	133.3	1444.49	Manual at 4	38	61.34	78.704	55.523	15.28	4.881	3.853	3.916
2017/7/1 14:26:45	1.33	112.5	134.1	1444.49	Manual at 4	38	61.359	78.84	55.948	15.2	4.8	3.647	3.873
2017/7/1 14:27:15	1.32	112.5	133.5	1444.49	Manual at 4	38	61.317	78.983	55.726	15.23	4.63	3.295	3.744
2017/7/1 14:27:45	1.33	112.5	134	1444.49	Manual at 4	38	61.486	79.252	55.794	15.22	4.432	3.378	3.499
2017/7/1 14:28:15	1.32	112.5	133.3	1444.49	Manual at 4	38	61.852	78.799	55.918	14.91	4.28	3.166	3.526


2017/7/1 14:28:45	1.32	112.6	133.2	1444.5	Manual at 4	38	61.857	79.102	56.029	14.6	4.161	3.011	3.276
2017/7/1 14:29:15	1.32	112.6	133.2	1444.5	Manual at 4	38	61.939	79.39	55.941	14.63	3.964	2.88	3.192
2017/7/1 14:29:45	1.32	112.6	133.1	1444.5	Manual at 4	38	61.973	79.16	56.082	14.64	3.873	2.868	3.244
2017/7/1 14:30:15	1.32	112.6	133.3	1444.5	Manual at 4	38	62.164	79.395	56.189	14.22	3.77	2.955	3.111
2017/7/1 14:30:45	1.32	112.6	133.3	1444.5	Manual at 4	38	62.218	79.475	56.044	14.55	3.646	2.617	2.903
2017/7/1 14:31:15	1.33	112.6	133.4	1444.5	Manual at 4	38	62.132	79.626	56.055	14.34	3.581	2.382	2.784
2017/7/1 14:31:45	1.32	112.6	133.4	1444.5	Manual at 4	38	62.275	79.757	56.141	14.35	3.484	2.433	2.828
2017/7/1 14:32:15	1.32	112.6	133.7	1444.5	Manual at 4	38	62.29	79.815	55.746	14.31	3.37	2.426	2.6
2017/7/1 14:32:45	1.32	112.6	133	1444.5	Manual at 4	38	62.315	79.58	55.865	14.11	3.207	2.127	2.526
2017/7/1 14:33:15	1.32	112.6	132.8	1444.51	Manual at 4	38	62.166	79.667	56.095	14.08	3.153	2.26	2.472
2017/7/1 14:33:45	0.22	113.1	20.8	1444.51	Manual at 4	38	62.166	69.123	52.263	21.12	3.28	2.256	2.584
2017/7/1 14:34:15	0.21	113.1	20.8	1444.51	Manual at 4	38	61.582	62.101	47.213	26.7	3.87	2.77	3.144
2017/7/1 14:34:45	0.22	113.1	20.8	1444.51	Manual at 4	38	61.238	58.213	33.112	26.7	4.605	3.638	3.934
2017/7/1 14:35:15	0.22	113.1	20.8	1444.51	Manual at 4	38	60.717	56.272	32.099	28.7	5.292	4.591	4.66
2017/7/1 14:35:45	0.21	113.1	20.8	1444.51	Manual at 4	38	60.287	54.862	32.961	29.93	5.825	5.136	5.212
2017/7/1 14:36:15	0.21	113.1	20.7	1444.51	Manual at 4	38	59.791	53.943	33.692	32.12	6.386	5.758	5.715
2017/7/1 14:36:45	0.21	113.1	20.7	1444.51	Manual at 4	38	59.366	53.182	34.543	34.34	6.905	6.311	6.259
2017/7/1 14:37:15	0.21	113.1	20.8	1444.51	Manual at 4	38	58.986	52.521	35.191	36.27	7.377	6.559	6.617
2017/7/1 14:37:45	0.21	113.1	20.8	1444.51	Manual at 4	38	58.642	51.982	35.728	37.65	7.81	7.072	7.045
2017/7/1 14:38:15	0.21	113.1	20.8	1444.51	Manual at 4	38	58.275	51.304	36.287	38.48	8.29	7.637	7.507
2017/7/1 14:38:45	1.64	112.4	170	1444.51	Manual at 4	38	60.221	67.269	41.96	1.632	8.608	7.821	7.814
2017/7/1 14:39:15	1.36	112.6	138.2	1444.51	Manual at 4	38	60.358	69.376	44.868	10.59	8.519	7.723	7.694
2017/7/1 14:39:45	1.36	112.6	138.1	1444.51	Manual at 4	38	59.913	72.262	50.813	14.54	8.217	7.243	7.25
2017/7/1 14:40:15	1.34	112.6	134.8	1444.51	Manual at 4	38	59.601	73.93	52.754	16.7	7.902	6.688	6.82
2017/7/1 14:40:45	1.34	112.6	135.5	1444.51	Manual at 4	38	59.503	75.188	54.053	17.44	7.665	6.258	6.499
2017/7/1 14:41:15	1.34	112.6	135.1	1444.51	Manual at 4	38	59.596	76.083	54.706	18.07	7.369	6.012	6.229
2017/7/1 14:41:45	1.34	112.6	135.6	1444.52	Manual at 4	38	59.791	76.864	55.199	18.12	7.056	5.814	5.885
2017/7/1 14:42:15	1.34	112.6	135.1	1444.52	Manual at 4	38	60.021	77.155	55.538	18.39	6.782	5.507	5.653
2017/7/1 14:42:45	1.33	112.6	134.2	1444.52	Manual at 4	38	60.085	77.768	55.708	18.36	6.503	5.216	5.492
2017/7/1 14:43:15	1.34	112.6	135.3	1444.52	Manual at 4	38	60.186	78.137	55.893	18.4	6.266	5.275	5.307
2017/7/1 14:43:45	1.33	112.6	134.6	1444.52	Manual at 4	38	60.378	78.418	56.095	18.42	6.093	4.717	5.048
2017/7/1 14:44:15	1.33	112.6	134.1	1444.52	Manual at 4	38	60.629	78.583	55.893	18.14	5.956	4.507	4.894

2017/7/1 14:44:45	1.33	112.6	133.9	1444.52	Manual at 4	38	60.854	78.648	55.801	18.09	5.699	4.563	4.763
2017/7/1 14:45:15	1.33	112.6	134.1	1444.52	Manual at 4	38	60.988	78.491	55.677	17.98	5.465	4.449	4.573
2017/7/1 14:45:45	1.32	112.6	133.4	1444.52	Manual at 4	38	61.175	78.922	56.052	17.73	5.375	4.206	4.562
2017/7/1 14:46:15	1.33	112.6	134.2	1444.53	Manual at 4	38	61.218	79.264	56.146	17.58	5.166	4.057	4.22
2017/7/1 14:46:45	1.33	112.6	134.2	1444.53	Manual at 4	38	61.265	79.398	56.191	17.46	5.011	3.807	4.231
2017/7/1 14:47:15	1.33	112.6	134.2	1444.53	Manual at 4	38	61.345	79.514	56.356	17.43	4.795	3.736	3.93
2017/7/1 14:47:45	1.33	112.6	134.5	1444.53	Manual at 4	38	61.461	79.373	56.239	17.18	4.641	3.625	3.885
2017/7/1 14:48:15	1.33	112.6	134	1444.53	Manual at 4	38	61.558	79.715	56.424	17.27	4.465	3.461	3.783
2017/7/1 14:48:45	1.33	112.6	134.5	1444.53	Manual at 4	38	61.756	79.759	56.26	16.86	4.373	3.54	3.7
2017/7/1 14:49:15	1.33	112.6	134.5	1444.53	Manual at 4	38	61.773	79.84	56.502	16.77	4.225	3.294	3.513
2017/7/1 14:49:45	1.33	112.6	133.9	1444.53	Manual at 4	38	61.788	79.761	56.58	16.7	4.161	2.937	3.377
2017/7/1 14:50:15	1.33	112.6	134.1	1444.53	Manual at 4	38	61.954	79.852	56.471	16.59	3.982	3.016	3.307
2017/7/1 14:50:45	1.32	112.6	133.5	1444.54	Manual at 4	38	62.132	79.869	56.356	16.5	3.959	2.877	3.295
2017/7/1 14:51:15	1.33	112.6	133.8	1444.54	Manual at 4	38	61.981	79.776	56.523	16.2	3.829	2.702	3.035
2017/7/1 14:51:45	1.32	112.6	133.4	1444.54	Manual at 4	38	62.167	79.718	56.325	16.37	3.789	2.705	3.003
2017/7/1 14:52:15	1.32	112.6	133.4	1444.54	Manual at 4	38	62.199	80.055	56.323	16.35	3.628	2.586	2.873
2017/7/1 14:52:45	1.32	112.6	133.3	1444.54	Manual at 4	38	62.332	79.97	56.464	16.19	3.622	2.642	2.89
2017/7/1 14:53:15	1.32	112.6	133.3	1444.54	Manual at 4	38	62.248	79.907	56.295	16.17	3.452	2.603	2.816
2017/7/1 14:53:45	1.33	112.6	133.7	1444.54	Manual at 4	38	62.266	80.103	56.295	15.98	3.381	2.336	2.822
2017/7/1 14:54:15	1.32	112.6	133.4	1444.54	Manual at 4	38	62.434	80.291	56.338	16.12	3.364	2.356	2.624
2017/7/1 14:54:45	1.32	112.6	133	1444.55	Manual at 4	38	62.57	80.095	56.143	15.87	3.291	2.308	2.644
2017/7/1 14:55:15	1.32	112.6	133.2	1444.55	Manual at 4	38	62.577	80.245	56.433	15.91	3.254	2.393	2.564
2017/7/1 14:55:45	1.32	112.6	133.2	1444.55	Manual at 4	38	62.664	80.171	56.316	15.72	3.104	2.331	2.423
2017/7/1 14:56:15	0.22	113.1	20.8	1444.55	Manual at 4	38	62.419	67.871	51.57	23.79	3.336	2.438	2.567
2017/7/1 14:56:45	0.21	113.1	20.8	1444.55	Manual at 4	38	62.011	61.63	46.84	28.72	3.974	2.945	3.309
2017/7/1 14:57:15	0.21	113.1	20.8	1444.55	Manual at 4	38	61.619	58.051	34.545	31.55	4.733	3.79	4.015
2017/7/1 14:57:45	0.21	113.1	20.8	1444.55	Manual at 4	38	61.003	56.254	33.532	34.26	5.403	4.717	4.782
2017/7/1 14:58:15	0.21	113.1	20.8	1444.55	Manual at 4	38	60.616	54.842	33.934	36.04	5.945	5.275	5.346
2017/7/1 14:58:45	0.21	113.1	20.8	1444.55	Manual at 4	38	60.153	54.05	34.439	37.19	6.464	5.825	5.857
2017/7/1 14:59:15	0.21	113.1	20.8	1444.55	Manual at 4	38	59.662	53.349	35	37.95	6.958	6.23	6.284
2017/7/1 14:59:45	0.21	113.1	20.8	1444.55	Manual at 4	38	59.242	52.458	35.412	38.47	7.455	6.724	6.773
2017/7/1 15:00:15	0.21	113.1	20.7	1444.55	Manual at 4	38	58.728	52.073	35.779	38.7	7.955	7.115	7.15

2017/7/1 15:00:45	0.21	113.1	20.7	1444.55	Manual at 4	38	58.445	51.6	36.074	38.95	8.385	7.64	7.641
2017/7/1 15:01:15	1.62	112.4	167.3	1444.55	Manual at 4	38	60.682	67.413	42.745	2.201	8.672	8.005	7.951
2017/7/1 15:01:45	1.38	112.5	139.9	1444.55	Manual at 4	38	60.462	70.25	47.895	10.79	8.53	7.631	7.705
2017/7/1 15:02:15	1.35	112.5	136.8	1444.55	Manual at 4	38	60.062	72.47	50.307	14.61	8.111	7.204	7.153
2017/7/1 15:02:45	1.34	112.6	135.6	1444.55	Manual at 4	38	59.854	74.114	52.853	16.47	7.829	6.771	6.798
2017/7/1 15:03:15	1.33	112.6	134.8	1444.55	Manual at 4	38	59.753	75.208	53.599	17.48	7.578	6.001	6.396
2017/7/1 15:03:45	1.34	112.6	135.4	1444.56	Manual at 4	38	59.698	76.146	54.384	17.78	7.254	5.808	6.187
2017/7/1 15:04:15	1.34	112.6	134.9	1444.56	Manual at 4	38	59.951	76.907	55.085	17.91	6.947	5.713	5.966
2017/7/1 15:04:45	1.33	112.6	134.5	1444.56	Manual at 4	38	60.146	77.082	55.376	18.06	6.78	5.546	5.785







- Inside(Up) °C
- Inside(Middle) °C
- Inside(Down) °C


**PROCOOL<sup>®</sup>**  
 CREATIVE COOLING SOLUTIONS