

Glass Doors

For Display Coolers & Freezers



Procool Refrigeration Limited

528300 Wusha Industrial Park, Shunde, Guangdong, China

Phone: +86 757 2220-4899

Mobile: +86 189-2310-9930

Email: sales@procoolmfg.com

Web: www.procoolmfg.com



Why Us?

Low Cost

As a commercial refrigerator manufacturer ourselves, most of our parts are made in-house, not out-source.

Quality Secured

We are not just a company selling accessories. These parts and materials are also used for our own products. We guarantee quality so as not to jeopardize our business. Also yours.

Technical Support

One-stop solution with a strong R&D team to meet all your needs like drawings, design, customization, etc.

Illuminated Logo Glass Door



Features

- ✓ 2 Layers of Tempered Glass + 1 Layer of Acrylic Engraved Logo (For Coolers 2 ~ 8 °C)
- ✓ 1 Layer of Electric Heated Glass + 1 Layer of Acrylic Engraved Logo + 1 Layer of Tempered Glass (For Freezers ≤ -18 °C)
- ✓ LED Strips for Logo Illumination
- ✓ Acrylic Logo Could Be Engraved Horizontal, Vertical, Oblique, Deep or Shallow to Make It More 3-Dimensional
- ✓ Magnetic Door Seal

Options



- ✓ LED Light Color: Red, Green, Blue, White, Yellow, Purple or Custom
- ✓ Custom Engraved Logo Pattern
- ✓ Illuminated Photosensitive Ink Logo
- ✓ Custom Material & Style for Door Frames
- ✓ Custom Door Handle

Size

- ✓ Glass Maximum Dimension Could Reach 1800x600mm

Applications

- ✓ Display Coolers & Freezers



LCD Screen Door



Features

- ✓ 2 Layers of Tempered Glass + 1 Layer of LCD Transparent Screen (For Coolers 2 ~ 8 °C)
- ✓ 1 Layer of Electric Heated Glass + 1 Layer of LCD Transparent Screen + 1 Layer of Tempered Glass (For Freezers ≤ -18 °C)
- ✓ You Can See Inside Products through the Transparent Screen While the Video Is Playing
- ✓ Bright LED Lighting
- ✓ Magnetic Door Seal

Options


- ✓ Standalone Version / Online Version for the Screen Operation
- ✓ Transparent / Non-Transparent Screen
- ✓ Custom Material & Style for Door Frames
- ✓ Custom Door Handle

Size

- ✓ 15" / 21.5" / 32" / 44"

Applications

- ✓ Display Coolers & Freezers



Heated Glass Door



Features




- ✓ 1 Layer of Electric Heated Glass + 2 Layers of Tempered Glass (For Freezers $\leq -18\text{ }^{\circ}\text{C}$)
- ✓ Even Temperature Effectively Solving the Condensation on the Glass Door
- ✓ Heating Temperature Can Be Customized According to Your Requirements
- ✓ Magnetic Door Seal

Options

- ✓ Custom Material & Style for Door Frames
- ✓ Custom Door Handle

Applications

- ✓ Display Freezers



Frameless Glass Door



Features




- ✓ 2 Layers of Tempered Glass (For Coolers 2 ~ 8 °C)
- ✓ Frameless Design
- ✓ Magnetic Door Seal

Options

- ✓ Glass Color: Brown
- ✓ Custom Material & Style for Door Frames
- ✓ Full-Length Recessed Handle

Applications

- ✓ Display Coolers



Metal Frame Glass Door

Features





- ✓ 2 Layers of Tempered Glass (For Coolers 2 ~ 8 °C)
- ✓ Stainless Steel 304
- ✓ Magnetic Door Seal

Options

- ✓ Stainless Steel Frames / Aluminum Alloy Frames
- ✓ Seamless Stainless Steel
- ✓ Custom Door Handle

Applications

- ✓ Display Coolers



PVC Frame Glass Door

PROCOOL®
EXPERTS IN FRESHNESS TECHNOLOGY

Features

- ✓ 2 Layers of Tempered Glass (For Coolers 2 ~ 8 °C)
- ✓ ROHS Certified Plastic
- ✓ Magnetic Door Seal

Options

- ✓ Custom Color & Style for Door Frames
- ✓ Custom Door Handle

Applications

- ✓ Display Coolers





How to Get a FREE Quote



- ① Advise your order quantity.
- ② Send us the drawing, which should include the below information and requirements:

Dimensions - Including the length, width and height, and thickness of the glass door and other door components like a door hinge, handle, gasket, etc.

Materials - Such as metal (stainless steel SS304, aluminium alloy, etc), plastic (PVC, ABS, etc) glass (ordinary glass, tempered glass, low-E glass, heating glass, etc).

Technical Requirements - Including process requirements like engraving, assembly requirements, and positive and negative tolerance requirements.




- ③ After getting your drawing, we will calculate the cost for you.




Drawing Sample

Material Code


Please indicate the detailed size of the product.




If the drawing is too small, please subdivide and enlarge it.



If the drawing is too small, please subdivide and enlarge it.



Please mark the material and thickness.



Serial Number	Item	Specification	Quantity	Material	Net Weight	Net Weight	Remark
19	Handle		1	ABS	0.15	0.15	
18	Cross Recessed Pan Head Tapping Screws	ST3.5x9.5(White Zinc Plated)	2	Q235A	0.00	0	
17	Nut Cover		2	ABS	0.00	0	
16	Steel Support		1	PVC	0.03	0.03	
15	Steel Branch		1	Q235A	0.11	0.11	
14	Snap		2	301 t=0.3	0.00	0	
13	Door Lock		1	Galvanized	0.06	0.06	
12	Magnetic Door Seal	1359x467	1	Nitrile Rubber	0.18	0.18	
11	LED White Light Strip		1	Assembly Parts	0.07	0.07	
10	Copper Sets		2	Coppe	0.00	0	
9	Door Frame Bar (Bottom)	399	1	PVC	0.39	0.39	
8	Door Frame Bar (Top)	399	1	PVC	0.39	0.39	

Serial Number	Item	Specification	Quantity	Material	Net Weight	Gross Weight	Remark
7	Door Frame Tight Strip (Left with Handle)		1	PVC	1.04	1.04	
6	Door Frame Tight Strip (Right)		1	PVC	1.04	1.04	
5	Door Code (Right)		2	ABS	0.04	0.08	
4	Door Code (Left)		2	ABS	0.03	0.06	
3	Lamp Trough Decorative Cover (Right)		1	ABS	0.00	0	
2	Lamp Trough Decorative Cover (Left)		1	ABS	0.00	0	
1	CCP Glass		1	Assembly Parts	10.86	10.86	

Content Change:				Door Assembly (With Handle)			Code: LGD-800H	
							Factory Code:	
Marks	Order Number Changed	Signature		Grade Identification	Weight(kg)	Proportion	Material: Assembly Parts	
Design		Standardization		SA	14.48	1:10	Total 1 Sheet / 1st Sheet	
Audit		Inference						
Craft		Date	20 21 / 11 /13	Procool Refrigeration				